Conde	nonce "mutual authentication"	1996	1000	Search 1 Ad
Scholar O	monice mutual authentication	11990	- 11999	Search Sc

Scholar

Results 1 - 10 of about 86 for nonce "mutual authentication". (0.09 seconds)

Mechanized proofs for a recursive authentication protocol - group of 13 »

LC Paulson - PROC COMPUT SECUR FOUND WORKSHOP, 1997 - doi.ieeecomputersociety.org
... protocol delivers session keys for all the agents, allowing neighbours to pelform
mutual authentication. ... round, an agent adds its name and a fresh nonce to an ...

Cited by 79 - Web Search - Library Search

An Authentication Protocol Without Trusted Third Party - group of 3 »

SP Shieh, WH Yang, HM Sun - IEEE COMMUNICATIONS LETTERS, 1997 - ieeexplore.ieee.org
... (herein can be considered as a nonce of user ... Tanaka's scheme, each party needs five exponential computations to complete mutual authentication and exchange ...

Cited by 16 - Web Search - BL Direct

A survey of authentication protocol literature: Version 1.0 - group of 14 »

J Clark, J Jacob - University of York, Department of Computer Science, November, 1997 - win.tue.nl ... 64 6.10.2 Gong Mutual Authentication Protocol We shall sometimes refine the notion of a nonce to include a timestamp and distinguish between sequence numbers ... Cited by 109 - View as HTML - Web Search

Security protocol for IEEE 802.11 wireless local area network - group of 10 » SH Park, A Ganz, Z Ganz - Mobile Networks and Applications, 1998 - Springer ... also has a unique merit as compared with other approaches which use mutual authentication proto- cols or hand-shake methods, because we never expose the nonce. ... Cited by 17 - Web Search - BL Direct

Mutual Authentication with Smart Cards - group of 3 »

B Bakker - USENIX Workshop on Smartcard Technology, may, 1999 - usenix org ... ABK(t) type protocol, named KLOMP (KryptoKnight-based Lightweight Open Mutual authentication Protocol ... is possible because the search for a suitable nonce can be ... Cited by 4 - Web Search

Some new attacks upon security protocols - group of 15 »

G Lowe - PROC COMPUT SECUR FOUND WORKSHOP, 1996 - doi.ieeecs.org
... they who initiated the protocol run; or (2) the agents may disagree over the value of some nonce exchanged dur ... 3. The Woo and Lam mutual authentication protocol ... Cited by 90 - Web Search

[PS] <u>Using non interference for the analysis of security protocols - group of 7 »</u>
R Focardi, A Ghelli, R Gorrieri - Proceedings of DIMACS Workshop on Design and Formal ..., 1997 - lix polytechnique fr ... The aim of the Needham-Schroeder protocol [NS78] is to establish **mutual authentication** between two users A and B. It uses public key cryptography. ... <u>Cited by 55 - View as HTML - Web Search</u>

[PS] Towards extensional goals in authentication protocols - group of 2 »

C Boyd - Proceedings of the 1997 DIMACS Workshop on Design and Formal ..., 1997 - dimacs.rutgers.edu ... a nonce is associated with a specic party, or whether a nonce was received ... They dene a se- cure mutual authentication protocol as one in which two principals ...

Cited by 22 - View as HTML - Web Search

An efficient authentication protocol for mobile networks - group of 6 »
SP Shieh, FS Ho, YL Huang - Journal of Information Science and Engineering, 1999 - iis.sinica.edu.tw ... session key successfully and verified the freshness of the nonce, the identity ... authentication proto- col can also be eliminated if mutual authentication is not ... Cited by 7 - View as HTML - Web Search

Scalability and Flexibility in Authentication Services: The KryptoKnight Approach - group of 10

P Janson, G Tsudik, M Yung - IEEE INFOCOM, 1997 - doi.ieeecomputersociety.org ... and B stand for the identifiers of two network entities performing mutual authentication. ... number of message flows (three) is minimal for a nonce- based protocol ... Cited by 20 - Web Search - BL Direct

nonce "mutual authentication" Search

Google Home - About Google - About Google Scholar

©2006 Google